

To : Claire Gilbert

Of: Tenterden Town Council

From : Duncan Robertson

Our ref: QDR011020

Date: 1st October 2020

Pages : 3



Dear Claire,

Re: Quotation to supply and install 1 doorset –

Further to your enquiry, we are pleased to offer 1 doorset with 2nd fix rebate frame.

Construction to be of 2mm galvanised powdercoated steel to a standard BS or RAL colour of your choice, with internal reinforcing and an insulated core.

Thickness 45mm. Overhanging flanges to all four edges for security and weatherproofing. Three security pegs to hinge edge.

Frames with internal reinforcing, integral frame adjusting screws, flexible weather seals and adjustable standard hinges.

01/10/2020

	Single doorset, 1000w x 2030h S/O - outward opening - R/H hung when viewed from the pull side.			
G20-2R	G20 with tamper-resistant lock jamb			
S_SIZE2	S2 size supplement inc additional hinges			
STDT	15mm standard galvanised threshold, FOC			
765KIT_SR2	Assa 765 std lockcase, 4802 double cylinder, SR2 cylinder guard outside, SCP lever handles inside and outside.			
PCALL_2.0Z	Powder coated frame, inner & outer panels			
FIXM	Masonry fixings			
	Total each	£1,520.61	1	£1,520.61
ID	Installation & delivery	£1,093.92	1	£1,093.92
	Final total			£2,614.53

Moor Lane, Thorpe on the Hill, Lincoln, LN6 9BW

Tel : 01522 693522

Web : www.doortechnik.co.uk Email : info@doortechnik.co.uk

Details of our privacy policy can be found on our website

All orders are subject to our terms and conditions that are attached to this form or available on request. All prices are quoted for payment in full, according to our normal terms and conditions and will be subject to VAT. Prices quoted are valid for 90 days, subject to changes in material costs. No allowance is made for MCD or retention.

Delivery

Please ensure that you have a forklift or staff available to take the doors off the delivery vehicle. We can provide information on door weights if requested.

Installation –

We expect to install doorsets quickly, correctly and safely. If you know of anything that may cause a problem, or you have any particular requirements, please let us know. To ensure that the process goes smoothly, particularly with regard to parking and carrying on site, please note the following:

Please inform us if the fitting team are required to undertake a site induction and how long this will take. If access or security restrictions apply on this site, you must arrange the relevant passes or permissions before we arrive.

Unless otherwise stated, the installation process will take place during our normal office hours, Monday to Friday. All works are expected to be carried out in a single continuous installation. Any additional time, visits to site or overnight stays, for example due to incomplete site preparations, are chargeable.

We will need to be informed if we are unable to park our van on site, or if it cannot be left in position all day. If we need to park off site after unloading, please let us know how far away it is and if there are any parking charges. Also inform us if there are any height restrictions to the parking or if we need to reserve/book a space.

This quotation is based on the understanding that we will deliver and install materials to the ground floor only. If doors are to be installed on higher floors, we would expect you to provide a suitable goods lift or hoist to transport our materials. If no lifting equipment is available, we would expect you to carry our materials up any stairs.

If we have to carry the doors more than 25m from the parking/unloading position, or the floor level changes more than 0.3m, we would expect you to handle the doors to the openings, or provide a forklift or suitable equipment for us. The access route required must be firm, level, free of obstructions and wide/high enough to carry doors safely and easily.

We expect to be installing into true, sound and well prepared openings with a finished level floor. Time spent correcting openings and floors is chargeable. Floor construction is significant when installing floor springs, so if under floor heating or other services are present, or if we are installing onto raised access flooring, please let us know.

The ground underfoot in the work area must be firm, level, and free of obstructions or debris. If the floor height difference between the interior and exterior of the opening exceeds 300mm, we expect you to provide a safe level work platform.

No access into the work area will be allowed for work, ingress or egress by other site workers or other personnel during the fitting process. This working area size is normally 10m² on both the interior and exterior of the doorway.

The fitting team need access to a 240v or 110v power supply within 25m of the doorway, for their power tools. If we are installing doors fitted with powered operators, you will need to provide a 240v supply adjacent to the door, for testing purposes. If you cannot provide suitable power supplies, please let us know.

We have not included for any making good; we would reasonably expect this to be carried out by the main contractor/customer. If we are ripping out, whilst every care will be taken to avoid damage during the rip-out process, you may have to carry out decoration works upon completion.

We will take photographs of the opening, the doorset and surrounding area before, during and after installation, for our records. If any photography permissions are required, or restrictions are in place, please inform us before we arrive on site. Our engineers need to use mobile phones for communication

Moor Lane, Thorpe on the Hill, Lincoln, LN6 9BW

Tel : 01522 693522

Web : www.doortechnik.co.uk Email : info@doortechnik.co.uk

Details of our privacy policy can be found on our website

with our office during the fitting process. If mobile phones are not permitted on your site, please let us know before we arrive.

The price will include for fittings, fixings and a sealed flexible joint applied to the outside of the frame. The skilled workforce will professionally complete the job, paying all respect to Health and Safety matters, and will leave the site having removed their own rubbish.

Availability is currently approximately 2-3 weeks from confirmation of order.

Please do not hesitate to contact me should you have any queries or require any further information.

Regards,

Duncan Robertson

Moor Lane, Thorpe on the Hill, Lincoln, LN6 9BW

Tel : 01522 693522

Web : www.doortechnik.co.uk Email : info@doortechnik.co.uk

Details of our privacy policy can be found on our website